

Behavioral Antecedents to Crisis Events

Page 1 of 4

Name of Person Being Evaluated _____

Name of Evaluator _____

Date of Evaluation _____

Directions: Put a check in the column that accurately corresponds to the behavioral description.

You may have more than one check in a row.

Please describe any additional information regarding the intensity or frequency in the comments section.

Behavior Description	Known Antecedent	Typical Behavior	Atypical Behavior	Comments
acts aggressively toward others				
aggressive toward others				
agitation				
antisocial, illegal, immoral behavior				
anxious				
apparent lack of normal feelings				
apparently intentional, repeated acts				
appears annoyed				
appears excited				
appears pressured				
attempts to exploit others				
attempts to exploit situations				
attempts to injure self				
avoids eye contact				
avoids other people				
believes others can control him/her				
believes others want to hurt him/her				
believes they are of no value				
believes they are very important				
believes they can control others				
blames others for problems				
bowel or bladder problems				
bullies others				
can't concentrate				
can't pay attention for very long				
can't recognize familiar people				
can't recognize familiar places				
change in eating behavior				
change in sleep behavior				
change in toileting behavior				
confusion				
cries easily or excessively				
decrease in insight/self understanding				
decrease in judgment				
delusions of grandeur				
demanding				
dependent				
destroys property				
difficult to understand thoughts				

Behavioral Antecedents to Crisis Events

Name: _____

Page 2 of 4

Behavior Description	Known Antecedent	Typical Behavior	Atypical Behavior	Comments
difficulty awakening				
difficulty going to sleep				
difficulty staying asleep				
does not know time of day (am/pm)				
does not know where he/she is				
does not know who he/she is				
does not relate to others				
does not speak at all				
doesn't cooperate with others				
doesn't know person, place or time				
easily distracted				
eating inedible objects (non-food)				
elevated mood, euphoria, very happy				
excessive concern about church				
excessive concern about God				
excessive concern about religion				
excessive concern about rules				
excessive concern about sex				
excessive concern about sin				
excessive concern re: future				
excessive concern re: past				
excessive concern re: present				
excessive fluid intake				
excessive laughing or giggling				
excessive physical complaints				
excessive talking or smiling				
excessively active				
excessive anger response				
expressionless				
false, fixed beliefs despite evidence				
fearful				
feelings are easily hurt, sensitive				
feels as if they are in a dream				
feels guilty, bad, sinful				
feels like a failure				
feels no sympathy or empathy				
feels things no one else feels				
feels worthless				
fills in memory gaps with guesses				
fills in memory gaps with lies				
frequent naps				
frequent vomiting				
frequently ill or hurt				
frequently insists on getting help				
frequently lies for no apparent reason				
grunts				
has forgotten year, month, day				
has no hope of happy future				

Behavioral Antecedents to Crisis Events

Name: _____

Behavior Description	Known Antecedent	Typical Behavior	Atypical Behavior	Comments
has run away, has tried to run away				
hears noises no one else hears				
hears voices no one else hears				
heightened emotional response/tone				
hoarding or foraging for food				
hopeless				
hostile				
ideas don't follow logically				
impatient				
inability to make up one's mind				
irritable mood				
lack of facial expression of emotion				
lack of flow between ideas				
lack of interests, resists activities				
lack of normal involvement with life				
lethargic, very little movement				
looks depressed				
loss of memory - long-term				
loss of memory - recent				
low to no response to social events				
manipulative				
misinterprets real events				
mood changes very frequently				
nervous				
obsessive-compulsive				
on the move				
overly concerned with small details				
overly neat and clean				
overly serious				
overly-dramatic				
overreacts				
overtly and inappropriately sexual				
paranoid				
passive, doesn't defend self				
phobic				
plans to hurt others				
plans to kill others				
poor hygiene				
rapid speech with "jumping" topics				
rapidly changing moods				
reduced emotional response or tone				
relies excessively on others				
repeats same general idea				
repeats specific words or phrases				
repetitive unwanted ideas or urges				
resists reasonable requests				
resists training or therapy				
rituals, demands sameness				

Behavioral Antecedents to Crisis Events

Name: _____

Page 4 of 4

Behavior Description	Known Antecedent	Typical Behavior	Atypical Behavior	Comments
sad				
seductive				
seems to lack inner control				
sees things no one else sees				
severe and unrealistic fear				
sexual preoccupation				
significant weight change				
silly, foolish, immature behavior				
smells things others don't smell				
speaks almost continuously				
speaks much faster than normal				
speaks much louder than normal				
speaks much louder than needed				
speech is slurred				
stuttering				
sudden, unexpected behavior				
suddenly will stop speaking				
suicidal thoughts, plans, statements				
suicide attempts				
tastes things other don't taste				
tends to not trust others				
tends to stay to self, withdrawn				
tense				
thoughts of hurting others				
thoughts of killing others				
tics				
tremor, trembling or shaking				
uncooperative				
uneasy				
unhappy				
unmotivated for treatment				
unmotivated, uninvolved, apathetic				
unpredictable behavior				
unpredictable mood				
unrealistic regarding mental illness				
unrealistic regarding mental retardation				
unusual physical postures/positions				
unusual walk				
unusual, odd, strange behavior				
unusual, odd, strange speech				
very suspicious				
wants to be ill or seen as sickly				
wants to run away				
will not talk to others				
withdraws from social situations				
worried				
other				
other				